

Numerous studies have shown no increase in the risk of surgical site infection when using non-sterile gloves compared to sterile gloves for minor cutaneous procedures.(1)

Non sterile gloves can be used for those experienced with insertion of the contraceptive implant, who are confident with their no touch technique. Sterile gloves are recommended where there is a higher risk of skin infection, e.g. severe eczema or immunosuppression.

References

1. Brewer JD, Gonzalez AB, Baum CL, Arpey CJ, Roenigk RK, Otley CC, et al. Comparison of Sterile vs Nonsterile Gloves in Cutaneous Surgery and Common Outpatient Dental Procedures: A Systematic Review and Meta-analysis. JAMA dermatology. 2016;152(9):1008-14.



familyplanningallianceaustralia.org.au

© Family Planning Alliance Australia. January 2020

Family Planning Alliance Australia has taken every care to ensure that the information contained in this publication is accurate and up-to-date at the time of being published. As information and knowledge is constantly changing, readers are strongly advised to confirm that the information complies with present research, legislation and policy guidelines. FPAA accepts no responsibility for difficulties that may arise as a result of an individual acting on this information and any recommendations it contains.

State / Territory sexual health and family planning organisations



Western Australia
SHQ (Sexual Health Quarters)
shq.org.au



Northern Territory
Family Planning Welfare
Association of NT
fpwnt.com.au



South Australia
SHINE SA
shinesa.org.au



Queensland
True
true.org.au



ACT
Sexual Health and Family
Planning ACT
shfpact.org.au



New South Wales
Family Planning NSW
fpnsw.org.au



Victoria
Family Planning Victoria
fpv.org.au



Tasmania
Family Planning Tasmania
fpt.asn.au